

TEMPORARY REVISION

OM-TR-MDC-E4-382

EECU Software VC33_xP_05_20

This Temporary Revision OM-TR-MDC-E4-382 is approved in conjunction with the Design Change Advisory MDC-E4-382 and is valid in conjunction with the latest revision of the Operation Manual (OM) until this Temporary Revision has been incorporated into the OM.

The limitations and information contained herein either supplement or, in the case of conflict, override those in the OM.

The technical information contained in this document has been approved under the Authority of DOA ref. EASA.21J.0399.

Doc. Nr.	Affected Section(S)	Affected Page(s)s
E4.01.02	2	4a 5a 6a

Instruction:

- Print this document on yellow paper (single-sided)
- Insert this cover page as the first page of the OM
- Insert the other pages of this Temporary Revision adjacent to or in front of the corresponding OM pages

Issue date: 25.Apr.2016	EECU Software VC33_xP_05_20	COVERPAGE
-------------------------	--------------------------------	-----------

2. General Information

2.5 Technical Data Sheet for E4P Engine

2.5.1 Engine Performance

The existing figure is replaced by the following:




Fig. 2.3a: Engine Performance

2.5.2 High power performance

The existing figures are replaced by the following:




Fig. 2.4a: Power Curve RPM 2300




Fig. 2.5a: Power Curve RPM 2200

2.5.3 Fuel consumption

The existing figure is replaced by the following:




Fig. 2.6a: Fuel consumption